





EARTH SCIENCE



HELIOPHYSICS



PLANETARY SCIENCE



ASTROPHYSICS

SMD MISSION HANDBOOK

Introduction


NASA's Science Mission Directorate (SMD) conducts scientific exploration enabled by the use of space observatories and probes that view the Earth from space, observe and visit other bodies in the solar system, and gaze out into our galaxy and beyond. NASA's science program seeks answers to profound questions that touch us all:

- How and why are Earth's climate and the environment changing?
- How and why does the Sun vary and affect Earth and the rest of the solar system?
- How do planets and life originate?
- How does the universe work, and what are its origin and destiny?
- Are we alone?

From space, in space, and about space, NASA's science vision encompasses questions as practical as cause and course of hurricanes, as enticing as the prospect of life on other worlds, and as profound as the origin of the Universe. The innovative space missions described in this document will help us answer those questions. NASA operates over 50 missions in space and has over 25 more in preparation for launch over the next decade. Some are strategic missions identified in decadal surveys from the National Academy of Sciences or created to meet national or agency objectives. Others are competed missions selected in response to open solicitations. About half involve partnerships with other US government agencies or the space agencies of our international partners. All these missions are challenging endeavors that stretch our scientific and technological capacity, enhance our economic competitiveness, and enrich the education and training of the next generation of scientists and engineers.

Within each science area, the missions are grouped first by those now in orbit and those in development. Within those two categories, the missions are listed alphabetically.

Earth Science



Advance Earth System Science to meet the challenges of climate and environmental change.



NASA pioneered the interdisciplinary field of Earth System Science—the study of the Earth as an integrated system. This approach to studying the Earth as a single complex system is essential to understanding the causes and consequences of climate change and other global environmental concerns. Spaceborne instruments provide essential broad coverage, high spatial resolution, frequent sampling, and near-uniform accuracy and stability. Multiple on-orbit missions, including those flying in coordinated orbits as part of planned constellations, allow data to be acquired simultaneously on many important quantities, enabling investigations of the interactions among the coupled Earth processes that constitute the climate system. NASA's research, coupled with that of our partners in the U.S. Global Change Research Program, provides much of the nation's knowledge base for understanding, mitigating, and adapting to climate change.



ACRIMSAT


Active Cavity Radiometer Irradiance Monitor

Launch Date: December 20, 1999

Phase: Extended

Web site: <http://acrim.jpl.nasa.gov>

The ACRIMSAT spacecraft carries an instrument which measures the Sun's total energy output, continuing a data set started in 1980. ACRIMSAT data can be correlated with data on global temperature, ice cap and sea ice extent, and ozone concentrations.



Aqua


Launch Date: May 04, 2002

Phase: Extended

Partners: Japan and Brazil

Web site: <http://aqua.nasa.gov>

Aqua was launched with six state-of-the-art instruments to observe the Earth's oceans, atmosphere, land, ice and snow covers, and vegetation, providing high measurement accuracy, spatial detail, and temporal frequency.



Aquarius

Launch Date: June 10, 2011

Phase: Prime

Partner: Argentina

Web site: <http://aquarius.gsfc.nasa.gov>

By measuring sea surface salinity over the globe with such unprecedented precision, Aquarius will answer long-standing questions about how our oceans respond to climate change and the water cycle. Monthly sea surface salinity maps will give clues about changes in freshwater input and output to the ocean associated with precipitation, evaporation, ice melting, and river runoff.

Aura

Launch Date: July 15, 2004

Phase: Extended

Partners: The Netherlands and the United Kingdom

Web site: <http://aura.gsfc.nasa.gov>

Aura's objective is to study the chemistry and dynamics of the Earth's atmosphere with emphasis on the upper troposphere and lower stratosphere (0–30 km) by employing multiple instruments on a single satellite. Each instrument makes daily global observations of Earth's atmospheric ozone layer, air quality, and key climate parameters.



CALIPSO

Cloud-Aerosol Lidar and Infrared Pathfinder
Satellite Observations

Launch Date: April 28, 2006

Phase: Extended

Partner: France

Web site: <http://www-calipso.larc.nasa.gov>

CALIPSO combines an active lidar with passive infrared and visible imagers to study the role clouds and aerosols (airborne particles) play in weather, climate and air quality.



CloudSat

Launch Date: April 28, 2006


Phase: Extended

Partner: Canada

Web site: <http://cloudsat.atmos.colostate.edu>

CloudSat provides a comprehensive characterization of the structure and composition of clouds and their effects on climate under all weather conditions using an advanced cloud profiling radar.






Earth Observing-1 (NMP)

Launch Date: November 21, 2000

Phase: Extended

Web site: <http://eo1.gsfc.nasa.gov>

Earth Observing-1 (EO-1) is an advanced land-imaging mission that demonstrates new instruments and spacecraft systems. The hyperspectral instrument called Hyperion is the first of its kind to provide images of land-surface in more than 220 spectral colors.



GRACE

Gravity Recovery and Climate Experiment


Launch Date: March 17, 2002

Phase: Extended

Partner: Germany

Web site: <http://www.csr.utexas.edu/grace>

The GRACE mission accurately maps variations in the Earth's gravity field. GRACE data is used to estimate global models for the variable Earth gravity field approximately every 30 days, and reveals changes in levels of large underground aquifers.



Jason-1

Launch Date: December 07, 2001

Phase: Extended

Partner: France

Web site: <http://sealevel.jpl.nasa.gov/mission/jason-1.html>

Jason is an oceanography mission to monitor global ocean circulation, improve global climate predictions, and monitor events such as El Niño conditions and ocean eddies. The mission helps increase understanding of ocean circulation and seasonal changes and improve forecasting of climate events like El Niño.

Landsat 7


Launch Date: April 15, 1999

Phase: Extended

Partner: USGS

Web site: <http://ls7pm3.gsfc.nasa.gov>

Landsat 7 is a joint mission of NASA and USGS to gather Earth resource data, and is the most recent in a long series of Landsat satellites going back over 35 years to 1974.



Suomi-NPP

National Polar-Orbiting Partnership

Launch Date: October 25, 2011

Phase: Prime

Partners: NOAA

Web site: <http://jointmission.gsfc.nasa.gov>

Suomi-NPP is the bridge between the EOS satellites and the forthcoming series of Joint Polar Satellite System (JPSS) satellites. Suomi-NPP data are being used for climate research and operational weather prediction.



OSTM/Jason 2

Ocean Surface Topography Mission/Jason 2

Launch Date: June 20, 2008

Phase: Extended

Partners: The European Organization for the Exploitation of Meteorological Satellites (EUMETSAT), France and NOAA

Web site: <http://sealevel.jpl.nasa.gov/mission/ostm.html>

OSTM/Jason 2 measures sea surface height by using a radar altimeter mounted on a low-Earth orbiting satellite. Measurements of sea-surface height, or ocean surface topography, reveal the speed and direction of ocean currents and tell scientists how much of the sun's energy is stored by the ocean.





QuikSCAT

Quick Scatterometer

Launch Date: June 19, 1999

Phase: Extended

Web site: <http://winds.jpl.nasa.gov/missions/quikscat>

The SeaWinds instrument on the QuikSCAT satellite is a specialized microwave radar that measures near-surface wind speed and direction under all weather and cloud conditions over Earth's oceans. Having exceeded its design life by 8 years, QuikSCAT now serves as a transfer standard to calibrate other satellites.



SORCE

Solar Radiation and Climate Experiment

Launch Date: January 25, 2003

Phase: Extended

Web site: <http://lasp.colorado.edu/sorce>

SORCE provides state-of-the-art measurements of incoming x-ray, ultraviolet, visible, near-infrared, and total solar radiation. The measurements specifically address long-term climate change, natural variability and enhanced climate prediction, and atmospheric ozone and UV-B radiation.



Terra

Launch Date: December 18, 1999

Phase: Extended

Partner: Canada

Web site: <http://terra.nasa.gov>

Terra simultaneously studies clouds, water vapor, aerosol particles, trace gases, terrestrial and oceanic surface properties, biological productivity of the land and oceans, Earth's radiant energy balance, the interaction among them, and their effects on climate.

TRMM

Tropical Rainfall Measuring Mission

Launch Date: November 27, 1997

Phase: Extended

Partner: Japan

Web site: <http://trmm.gsfc.nasa.gov>

The first-time use of both active and passive microwave instruments have made TRMM the world's foremost satellite for the study of precipitation and associated storms and climate processes in the tropics.



FUTURE MISSIONS


ASCENDS

Active Sensing of CO₂ Emissions over Nights, Days and Seasons

Launch Date: NET 2020

Phase: Pre-formulation

ASCENDS will measure the total column abundance of carbon dioxide (CO₂) with precision and accuracy sufficient to improve understanding of sources and sinks. Use of a laser system will allow it to observe both day and night.



CLARREO

Climate Absolute Radiance & Refractivity Observatory


Launch Date: NET 2022


Phase: Pre-formulation

Partner: NOAA

Web site: <http://clarreo.larc.nasa.gov>

CLARREO's measurements will provide a long-term benchmarking data record for the detection, projection, and attribution of changes in the climate system. In addition, these measurements will provide a source of absolute calibration for a wide range of visible and infrared Earth observing sensors, greatly increasing their value for climate monitoring.





DESDynI


Deformation Ecosystem Structure & Dynamics of Ice

Launch Date: NET 2021

Phase: Pre-formulation

Web site: <http://desdyni.jpl.nasa.gov>

DESDynI will monitor surface deformation to improve understanding of earthquakes, volcanoes, and landslides. DESDynI data will be useful for managing our ground water resources, and for understanding the response of ice sheets, glaciers, and sea ice to climate change.




Earth Venture 2

Launch Date: 2017

Phase: Pre-formulation

Web site: <http://science.nasa.gov/about-us/smd-programs/earth-system-science-pathfinder>

EV-2 will be the first of the Venture-class of competed small satellites missions. The first solicitation for complete missions was issued in 2011 with selection in 2012. The Venture class program also includes separate solicitations for instruments of opportunity and for airborne science investigations.



GPM

Global Precipitation Measurement

Launch Date: June 2014

Phase: Development

Partner: Japan

Web site: <http://gpm.gsfc.nasa.gov>

GPM is an international constellation of satellites designed to provide global precipitation observations every 2 to 4 hours. The GPM concept centers a “Core” observatory carrying advanced active and passive microwave sensors to measure precipitation and serve as a calibration reference to unify and refine precipitation estimates from a constellation of research and operational satellites.

GRACE-FO


Gravity Recovery and Climate Experiment Follow-On

Launch Date: 2017

Phase: Formulation

Partner: Germany

This mission will provide continuity of measurements of Earth's gravity field as a follow-on to the original GRACE mission, launched in March 2002, until the more capable Tier 3 NRC Decadal Survey GRACE-II mission can be developed.



ICESat II

Ice, Cloud, and land Elevation Satellite II

Launch Date: 2016

Phase: Formulation

Web site: <http://icesat.gsfc.nasa.gov/index.php>

The ICESat-II mission will deploy an ICESat follow-on satellite to continue the assessment of polar ice changes by providing multi-year elevation data needed to determine ice sheet mass balance as well as cloud property information, especially for stratospheric clouds which are common over polar areas.



LDCM

Landsat Data Continuity Mission


Launch Date: June 2013

Phase: Development

Partner: USGS

Web site: <http://ldcm.nasa.gov>

LDCM will provide moderate-resolution (15m–100m, depending on spectral frequency) measurements of the Earth's terrestrial and polar regions in the visible, near-infrared, short wave infrared, and thermal infrared. LDCM will provide continuity with the 38-year long Landsat land imaging data set. In addition to widespread routine use for land use planning and monitoring on regional to local scales, support of disaster response and evaluations, and water use monitoring.






OCO-2

Orbiting Carbon Observatory-2

Launch Date: 2015

Phase: Development

OCO-2 will provide the first complete picture of human and natural carbon dioxide sources and sinks by mapping their global geographic distribution studying their changes over time. The OCO-2 spacecraft will replace OCO-1, lost during a launch vehicle failure in 2009.




PACE

Pre-Aerosol, Clouds, and Ecosystem Mission

Launch Date: 2020

Phase: Pre-Formulation

PACE will make global ocean color measurements essential for understanding the carbon cycle and polarimetry measurements to provide extended data records on clouds and aerosols initially provided by the PARASOL mission.



SAGE-III

Stratospheric Aerosol and Gas Experiment-III

Launch Date: 2014

Phase: Formulation

SAGE-III will continue critical long-term measurements of the vertical structure of aerosols, ozone, water vapor, and other important trace gases in the upper troposphere and stratosphere. SAGE-III will be attached payload on the ISS.

SMAP


Soil Moisture Active-Passive

Launch Date: 2015

Phase: Formulation

Web site: <http://smap.jpl.nasa.gov>

The SMAP mission will provide direct measurement of surface soil moisture and freeze-thaw state. Direct measurements of these properties are necessary to improve our understanding of regional water cycles, ecosystem productivity, and processes that link the water, energy, and carbon cycles.



SWOT


Surface Water Ocean Topography

Launch Date: 2020

Phase: Pre-formulation

Web site: <http://smap.jpl.nasa.gov>

The SWOT mission brings together two communities focused on a better understanding of the world's oceans and its terrestrial surface waters. The SWOT satellite mission with its wide-swath altimetry technology is a means of completely covering the world's oceans and freshwater bodies with repeated high-resolution elevation measurements.



JASD

A large satellite component, possibly a solar panel or antenna, is being assembled in a cleanroom. The component is white and gold, with various wires and connectors. A person in a white cleanroom suit is visible on the right, working on the component. The background is a grid of blue and white squares, suggesting a cleanroom environment.

Joint Agency Satellite Division (JASD)

NASA established the Joint Agency Satellite Division (JASD) in March 2010 within SMD to manage NASA's fully reimbursable satellite and instrument development program, which currently includes NOAA and USGS-funded missions.

JASD's primary focus is on efficiently managing operational satellite projects, particularly across multiple acquisitions. A large part of this efficiency arises from the integrated, permanent structural presence within NASA Headquarters that JASD provides.

JASD can engage partner agencies early in the Federal Government planning process, support those agencies in their engagements with OSTP, OMB and Congress, and offer the agencies a single interface for development and management of their satellite projects.




Jason 3

Launch Date: 2014

Phase: Formulation

Partner: Reimbursable NOAA partnership. NOAA partners on this project with EUMETSAT and CNES.

Transition the measurement of ocean surface topography to the operational suite of polar-orbiting weather satellites.



JPSS-1


Joint Polar Satellite System 1

Launch Date: 2017

Phase: Formulation

Partner: Reimbursable NOAA partnership. NOAA partners on this project with EUMETSAT and JAXA.

Provide data continuity for global environmental data used in numerical weather prediction models, climate modeling, and space weather observations.



JPSS-2

Joint Polar Satellite System 2

Launch Date: 2021

Phase: Formulation

Partner: Reimbursable NOAA partnership. NOAA partners on this project with EUMETSAT and JAXA.

Provide data continuity for global environmental data used in numerical weather prediction models, climate modeling, and space weather observations.

GOES-R

Geostationary Operational Environmental Satellite-R

Launch Date: 2015

Phase: Formulation

Partner: Reimbursable NOAA partnership

Provide geosynchronous environmental monitoring with greater resolution and coverage, the first geo-orbiting lightning mapper and increased capability to detect space weather and solar events.



GOES-S


Geostationary Operational Environmental Satellite-S

Launch Date: 2016

Phase: Formulation

Partner: Reimbursable NOAA partnership

Provide geosynchronous environmental monitoring with greater resolution and coverage, the first geo-orbiting lightning mapper and increased capability to detect space weather and solar events.




Heliophysics

Understand the Sun and its interactions with the Earth and the solar system.



Our planet is immersed in a seemingly invisible yet exotic and inherently hostile environment. Above the protective cocoon of Earth's atmosphere is a plasma soup composed of electrified and magnetized matter entwined with penetrating radiation and energetic particles. Our Sun's energy output, which varies on time scales from milliseconds to billions of years, forms an immense structure of complex magnetic fields. Inflated by the solar wind, this colossal bubble of magnetism, known as the heliosphere, stretches far beyond the orbit of Pluto. This extended atmosphere of the Sun drives some of the greatest changes in our local space environment—affecting our magnetosphere, ionosphere, atmosphere, and potentially our climate. Heliophysics is the study of these interactions through-out the region of space influenced by the Sun.



ACE

Advanced Composition Explorer

Launch Date: August 27, 1997


Phase: Extended

Location: Earth-Sun L1

Partner: NOAA and USAF

Web site: <http://www.srl.caltech.edu/ACE>

ACE observes particles of solar, interplanetary, interstellar and galactic origins. ACE's solar wind observations are used on an operational basis for space weather forecasting by both NOAA and USAF.



AIM

Aeronomy of Ice in the Mesosphere

Launch Date: April 25, 2007

Phase: Extended

Location: Earth Orbit

Web site: http://www.nasa.gov/mission_pages/aim/index.html

Explore Polar Mesospheric Clouds (PMCs), which form an icy membrane at the edge of Earth's atmosphere, to find out why they form and why they are changing.



CINDI/CNOFS

Coupled Ion-Neutral Dynamics Investigation

Launch Date: April 16, 2008

Phase: Extended

Location: Earth Orbit

Partner: USAF

Web site: http://www.nasa.gov/mission_pages/cindi

This was selected as a Mission of Opportunity to discover the role of ion-neutral interactions in the generation of small and large-scale electric fields in the Earth's upper atmosphere.

Cluster-II

Launch Date: July 16, 2000


Phase: Extended

Location: Polar Earth Orbit

Partner: European Space Agency

Web site: <http://www-istp.gsfc.nasa.gov/istp/misc/cluster.html>

Cluster II conducts an in-situ investigation of the Earth's magnetosphere using four identical spacecraft simultaneously, allowing the determination of three-dimensional and time-varying phenomena and the differences between spatial and temporal variations.



Geotail

Launch Date: July 24, 1992


Phase: Extended

Location: Elliptical Earth Orbit

Partner: Japan

Web site: <http://www-istp.gsfc.nasa.gov/istp/geotail/geotail.html>

Study the dynamics of the Earth's magnetotail over a wide range of distance and measure global energy flow and transformation in the magnetotail.



IBEX

Interstellar Boundary Explorer

Launch Date: October 19, 2008


Phase: Extended

Location: Elliptical Earth Orbit

Partner: Switzerland

Web site: <http://ibex.swri.edu>

IBEX measures energetic neutral atoms created at the boundary that separates our heliosphere from the local interstellar medium.





RHESSI

Reuven Ramaty High Energy Solar
Spectroscopy Imager


Launch Date: February 5, 2002

Phase: Extended

Location: Earth Orbit

Web site: <http://hesperia.gsfc.nasa.gov/hessi>

Advance our understanding of the fundamental high-energy processes at the core of the solar flare problem by imaging flares and obtaining a detailed energy spectrum at each point of the image.



SOHO

Solar and Heliospheric Observatory

Launch Date: December 2, 1995

Phase: Extended

Location: Earth-Sun L1

Partner: European Space Agency

Web site: <http://sohowww.nascom.nasa.gov>

Study the internal structure of the Sun, its extensive outer atmosphere and the origin of the solar wind in tandem with ESA's two related solar observatories.



Solar-B/Hinode

Launch Date: September 23, 2006

Phase: Extended

Location: Sun Synchronous Orbit

Partners: Japan and the United Kingdom

Web site: <http://solarb.msfc.nasa.gov>

Japan's Hinode mission uses a three-instrument suite to understand how energy generated by magnetic-field changes in the photosphere is transmitted to the corona, how that energy influences the dynamics and structure of the corona, and how the energy transfer and atmospheric dynamics affects the interplanetary-space environment.

SDO

Solar Dynamics Observatory

Launch Date: February 11, 2010

Phase: Prime

Location: Geosynchronous

Web site: <http://sdo.gsfc.nasa.gov>

SDO studies how solar activity is created and how space weather results from that activity by measuring the sun's interior, magnetic field, the hot plasma of the solar corona, and the irradiance.



STEREO


Solar Terrestrial Relations Observatory

Launch Date: October 25, 2006

Phase: Extended

Location: Sun Synchronous Orbit

Trace the flow of energy and matter from the Sun to Earth with two space-based observatories, as well as reveal the 3D structure of coronal mass ejections and the reasons why they happen.



THEMIS

Time History of Events and Macroscale Interactions during Substorms

Launch Date: February 17, 2007


Phase: Extended


Location: Earth Orbit

Partners: Canada, Germany, France and Austria

Web site: http://www.nasa.gov/mission_pages/themis/main/index.html

THEMIS originally used five identically instrumented spacecraft to answer fundamental questions concerning the nature of the sub-storm instabilities that abruptly and explosively release solar wind energy stored within the Earth's magnetotail. Two of the five THEMIS spacecraft have been re-purposed as the ARTEMIS mission to study the space weather environment around the Moon.





TIMED

Thermosphere, Ionosphere, Mesosphere Energetics and Dynamics


Launch Date: December 7, 2001

Phase: Extended

Location: Earth Orbit

Web site: <http://www.timed.jhuapl.edu/WWW/index.php>

Explore the Earth's Mesosphere and Lower Thermosphere (60–180 kilometers up), understand the energy transfer into and out these regions and the basic structure that results from the energy transfer into the region.



TWINS A & B

Two Wide-Angle Imaging Neutral-Atom Spectrometers

Launch Date: A-June 2006, B-March 13, 2008


Phase: Extended

Location: Earth Orbit (Molniya)

Partner: USAF

Web site: <http://twins.swri.edu/index.jsp>

TWINS enables the 3-dimensional visualization and the resolution of large scale structures and dynamics within the magnetosphere by imaging the charge exchange of neutral atoms over a broad energy range using two identical instruments on two widely spaced high-altitude, high-inclination spacecraft.



Voyager

Launch Date: August and September 1977

Phase: Extended

Location: Heliosheath

Web site: <http://voyager.jpl.nasa.gov/mission/mission.html>

Voyagers 1 and 2 conducted close-up studies of Jupiter and Saturn, Saturn's rings, and the larger moons of the two planets as well as study the outer planets and beyond. Voyager 1 is now at the extreme edge of our solar system, exploring its interface with the interstellar medium.

Wind

Launch Date: November 1, 1994


Phase: Extended

Location: Earth-Sun L1

Partners: Part of the Global Geospace Science (GGS) initiative, which is part of the worldwide International Solar-Terrestrial Physics (ISTP) collaboration.

Web site: <http://wind.nasa.gov>

This mission measures crucial properties of the solar wind before it impacts the Earth's magnetic field and alters the Earth's space environment.



FUTURE MISSIONS

IRIS

Interface Region Imaging Spectrograph


Launch Date: June 2013

Phase: Development

Location: Sun-synchronous

Web site: <http://iris.lmsal.com/#ov>

Increase our understanding of energy transport into the corona and solar wind and provide an archetype for all stellar atmospheres by tracing the flow of energy and plasma through the chromosphere and transition region into the corona using spectrometry and imaging.



LWS SET-1

Living With a Star Space Environment Testbed-1

Launch Date: January 2014


Phase: Development


Location: Earth Orbit

Partners: United Kingdom and France

Web site: <http://lws.gsfc.nasa.gov>

Improve the engineering approach to accommodate and / or mitigate the effects of solar variability on spacecraft design and operations.





MMS

Magnetospheric MultiScale Mission

Launch Date: March 2015


Phase: Development

Location: Earth Orbit

Partners: Austria, France, Japan and Sweden

Web site: <http://mms.gsfc.nasa.gov>

Four identically instrumented spacecraft that will use Earth's magnetosphere as a laboratory to study the microphysics of three fundamental plasma processes: magnetic reconnection, energetic particle acceleration, and turbulence.



RBSP

Radiation Belt Storm Probes

Launch Date: September 2012


Phase: Development

Location: Earth Orbit (Elliptical)

Partner: Czech Republic

Web site: <http://rbsp.jhuapl.edu>

RBSP will use two identical spacecraft in elliptical orbits to provide an understanding, ideally to the point of predictability, of how populations of relativistic electrons and penetrating ions in space form or change in response to variable inputs of energy from the Sun.



Solar Orbiter Collaboration

Launch Date: 2017

Phase: Formulation

Location: Sun Orbit

Partner: European Space Agency-led

Web site: http://www.esa.int/esaSC/120384_index_0_m.html

This mission will study the Sun from a distance closer than any spacecraft previously has and provide images and measurements in unprecedented resolution and detail.

Solar Probe Plus


Launch Date: 2018

Phase: Formulation

Location: Sun Orbit


Web site: <http://solarprobe.gsfc.nasa.gov>

Repeatedly sample the near-Sun environment and make direct, in-situ measurements, revolutionizing our knowledge and understanding of coronal heating and the origin and evolution of the solar wind and allowing us to characterize and forecast the surrounding radiation environment.




Planetary Science

Ascertain the content, origin, and evolution of the solar system, and the potential for life elsewhere.



NASA is at the leading edge of a journey of scientific discovery that will yield a profound new understanding of our solar system. Robotic exploration is the current approach to planetary science and is the necessary precursor to the expansion of humanity beyond Earth. NASA's Planetary Science program pursues a strategy of surveying the planetary bodies of interest and targeting for repeated visits those likely to enable greatest progress toward answering the above science questions. For selected planetary bodies, successive visits progress from fly-by missions, to orbiters, to landers and entry probes, to rovers, to sample return missions. Underlying this strategy are the science themes of comparative planetology and habitability—the capacity of an environment (which pertain to an entire planet) to harbor life in the past, present, or future.



ARTEMIS

Acceleration, Reconnection, Turbulence and Electrodynamics of the Moon's Interaction with the Sun

Launch Date: Repurposed in-orbit (THEMIS in 2007)

Phase: Prime

Web site: http://www.nasa.gov/mission_pages/artemis

The ARTEMIS mission uses two of the five in-orbit spacecraft from a Heliophysics constellation of satellites, THEMIS, that were launched in 2007 and successfully completed their mission in 2010. The ARTEMIS mission operates those two spacecraft at Earth–Moon L1 and L2.



Cassini


Launch Date: October 15, 1997

Phase: Extended

Partners: European Space Agency and Italy

Web site: <http://saturn.jpl.nasa.gov>

Cassini arrived at Saturn in 2004 and completed its first extended mission in Sept. 2010, and it is seeking to make exciting new discoveries in a second extended mission called the Cassini Solstice Mission through Sept. 2017. The second extension will allow for the first study of a complete seasonal period. (A Saturn year is 30 Earth years).



Dawn

Launch Date: September 27, 2007

Phase: Prime

Arrival: Vesta–2011, Ceres–2015

Web site: <http://dawn.jpl.nasa.gov>

Dawn's goal is to characterize the conditions and processes of the solar system's earliest epoch by investigating in detail two of the largest protoplanets remaining intact since their formations. Ceres and Vesta reside in the extensive zone between Mars and Jupiter.

Deep Impact/EPOXI

Extrasolar Planet Observation and Deep Impact Extended Investigation

Launch Date: January 12, 2005

Phase: Extended

Web site: <http://epoxi.umd.edu>

EPOXI is the supplemental mission of NASA's Deep Impact spacecraft. EPOXI is the flyby spacecraft that is to explore other celestial targets of opportunity such as Hartley 2. EPOXI made its closest approach to Hartley 2 on November 4, 2010.



GRAIL (Ebb and Flow)

Gravity Recovery And Interior Laboratory

Launch Date: September 10, 2011

Phase: Prime

Web site: <http://grail.nasa.gov>

GRAIL's primary science objectives are to determine the structure of the lunar interior, from crust to core and to advance understanding of the thermal evolution of the Moon. Also, analysis of GRAIL data will extend knowledge gained from the Moon to the other terrestrial planets.



Juno

Launch Date: August 5, 2011


Phase: Prime


Arrival: at Jupiter in 2016

Partners: Belgium and Italy

Web site: www.nasa.gov/juno

Juno will improve our understanding of our solar system's beginnings by revealing the origin and evolution of Jupiter. Juno will also look deep into Jupiter's atmosphere to measure composition, temperature, cloud motions and other properties. Juno is a New Frontiers mission.





LRO

Lunar Reconnaissance Orbiter

Launch Date: June 17, 2009

Phase: Prime

Web site: <http://lro.gsfc.nasa.gov>

LRO aims to identify lunar sites that are close to potential resources and have high scientific value, favorable terrain, and the environment necessary for safe future robotic and human lunar missions.




Mars Odyssey

Launch Date: April 7, 2001

Phase: Extended

Web site: <http://mars.jpl.nasa.gov/odyssey>

Mars Odyssey globally mapped the amount and distribution of many chemical elements and minerals that make up the martian surface. Maps of hydrogen distribution led scientists to discover vast amounts of water ice in the polar regions buried just beneath the surface.



MESSENGER

Mercury Surface, Space Environment, Geochemistry and Ranging

Launch Date: August 3, 2004

Phase: Prime

Mercury Orbit Insertion: March 17, 2011

Web site: <http://messenger.jhuapl.edu>

MESSENGER will image all of Mercury for the first time, as well as gather data on the composition and structure of Mercury's crust, its geologic history, the nature of its active magnetosphere and thin atmosphere, and the makeup of its core and the materials near its poles. By studying Mercury, NASA researchers expect to understand how our own Earth was formed.

MSL

Mars Science Laboratory

Launch Date: November 26, 2011

Phase: Prime

Partners: Canada, France, Germany, Spain and Russia

Web site: <http://mars.jpl.nasa.gov/msl>

MSL's Curiosity rover will assess whether Mars ever was, or is still today, an environment able to support microbial life. That is, MSL's mission is to determine the planet's "habitability." MSL, the largest rover ever sent to Mars, is scheduled to arrive on the Martian surface in August 2012.



MRO

Mars Reconnaissance Orbiter


Launch Date: August 12, 2005

Phase: Extended

Partner: Italy

Web site: <http://mars.jpl.nasa.gov/mro>

Mars Reconnaissance Orbiter is providing new information in unprecedented detail about the surface, subsurface, and atmosphere of Mars. MRO imagery is used to characterize potential landing sites for other missions including the Mars Science Laboratory. MRO has detected evidence that water persisted on the surface of Mars for a long period of time, and is examining whether underground martian ice discovered by Mars Odyssey is the top layer of a deep ice deposit or a shallow layer in equilibrium with the atmosphere and its seasonal cycle.



New Horizons


Launch Date: January 19, 2006

Phase: Prime

Arrival at Pluto: 2015

Web site: <http://pluto.jhuapl.edu>

New Horizons is designed to help us understand worlds at the edge of our solar system by making the first reconnaissance of Pluto and Charon, and one or more Kuiper Belt objects beyond, to reveal the origin and evolution of our planetary neighbors. New Horizons is a New Frontiers mission.





Opportunity

Mars Exploration Rover

Launch Date: July 7, 2003


Phase: Extended

Partner: Germany

Web site: <http://marsrovers.nasa.gov>

Opportunity performs on-site geological investigations on Mars. Its mission is to search for and characterize a wide range of rocks and soils that hold clues to past water activity on Mars. Now in the seventh year of a 90-day mission, Opportunity is poised to explore the giant crater Endeavor.

FUTURE MISSIONS



LADEE

Lunar Atmosphere and Dust Environment Explorer

Launch Date: November 2013

Phase: Development

Web site: <http://science.nasa.gov/missions/ladee>

LADEE will orbit the Moon and its main objective is to characterize the atmosphere and lunar dust environment. LADEE aims to determine the global density, composition, and time variability of the fragile lunar atmosphere before it is perturbed by further surface exploration activity.



MAVEN

Mars Atmosphere and Volatile Evolution

Launch Date: October 2013

Phase: Development

Partner: France

Web site: <http://science.nasa.gov/missions/maven>

MAVEN will explore the planet's upper atmosphere, ionosphere and interactions with the sun and solar wind. MAVEN data can determine the loss of volatile compounds—such as carbon dioxide, nitrogen dioxide, and water—from the Mars atmosphere to space has played through time.

OSIRIS-Rex

Origins-Spectral Interpretation-Resource
Identification-Security-Regolith Explorer


Launch Date: September 2016

Arrival: 2020

Return: 2023

Phase: Development

After traveling four years, OSIRIS-REx will approach the primitive, near Earth asteroid designated 1999 RQ36 in 2020. Once within three miles of the asteroid, the spacecraft will begin six months of comprehensive surface mapping. The science team then will pick a location from where the spacecraft's arm will take a sample. The spacecraft gradually will move closer to the site, and the arm will extend to collect more than two ounces of material for return to Earth.



Strofió


Launch Date: 2014

Phase: Development

Partner: ESA

Web site: <http://discovery.nasa.gov/strofió.cfm>

Strofió is a unique mass spectrometer that is part a suite of instruments that will fly on board the European Space Agency's BepiColombo/Mercury Planetary Orbiter (MPO) spacecraft. Strofió will determine the chemical composition of Mercury's surface, providing a powerful tool to study the planet's geological history.



Astrophysics

Discover how the universe works, explore how the universe began and developed into its present form, and search for Earth-like planets.



The science goals of Astrophysics are breathtaking: we seek to understand the universe and our place in it. We are starting to investigate the very moment of creation of the universe and are close to learning the full history of stars and galaxies. We are discovering how planetary systems form and how environments hospitable for life develop. The Physics of the Cosmos Program contains missions that can explore the most extreme physical conditions of the universe, from black holes to dark energy. The Cosmic Origins Program comprises projects that enable the study of how stars and galaxies came into being, how they evolve, and ultimately how they end their lives. The Exoplanet Exploration Program seeks to advance our understanding of planets and planetary systems around other stars, to detect Earth-like planets around other stars, to determine how common such planets are, and to search for indicators of life.



Chandra

Launch Date: July 23, 2009

Phase: Extended

Orbit Type: Earth Orbit, Apogee (133,000 km) and perigee (16,000 km)

Partner: Germany

Web site: <http://chandra.harvard.edu/about>

Chandra is a telescope specially designed to detect X-ray emission from very hot regions of the Universe such as exploded stars, clusters of galaxies, and matter around black holes.



Fermi

Fermi Gamma-ray Space Telescope

Launch Date: June 11, 2008


Phase: Prime

Orbit Type: Earth Circular Orbit

Partners: DOE and International Team

Web site: <http://fermi.gsfc.nasa.gov>

Fermi is a gamma-ray observatory. With Fermi, astronomers have a superior tool to study how black holes, notorious for pulling matter in, can accelerate jets of gas outward at fantastic speeds. Physicists can study subatomic particles at energies far greater than those seen in ground-based particle accelerators.



Herschel

Launch Date: May 14, 2009

Phase: Prime

Orbit Type: Sun-Earth L2

Partners: European Space Agency, United Kingdom, Netherlands

Web site: <http://herschel.jpl.nasa.gov>

Herschel is an European Space Agency space-based telescope that will study the Universe by the light of the far-infrared and submillimeter portions of the spectrum. NASA provided key technologies to two of Herschel's three detector instruments. Herschel is expected to reveal new information about the earliest, most distant stars and galaxies, as well as those closer to home in space and time.

Hubble Space Telescope

Launch Date: April 24, 1990

Phase: Prime

Orbit Type: Near-circular Low Earth Orbit

Partner: European Space Agency

Web site: <http://hubble.nasa.gov>

HST has provided astronomers a uniquely clear and deep view of the cosmos since the 1990s in the visible, ultraviolet, and infrared portions of the spectrum. HST has detected several atomic constituents in the atmosphere of a planet outside our solar system and places elsewhere in the Universe where the conditions for life exist.



INTEGRAL

International Gamma-Ray Astrophysics Laboratory

Launch Date: October 17, 2002


Phase: Operating

Orbit Type: Elliptical Earth orbit

Partners: ESA, Russia, Czech Republic, and Poland

Web site: <http://heasarc.nasa.gov/docs/integral/integral.html>

INTEGRAL is an ESA-led gamma-ray mission to study the most violent and exotic objects of the Universe, such as black holes, neutron stars, active galactic nuclei and supernovae. INTEGRAL is also helping us to understand processes such as the formation of new chemical elements and mysterious gamma-ray bursts, the most energetic phenomena in the Universe.



Planck

Launch Date: May 14, 2009


Phase: Extended


Orbit Type: Sun-Earth L2

Partners: European Space Agency, ASI, CNES, United Kingdom

Web site: <http://sci.esa.int/science-e/www/area/index.cfm?fareaid=17>

Planck is an European Space Agency mission using microwave detectors to address some of the most fundamental questions in cosmology. NASA provided the cooler system that enables Planck to reach its operating temperature of only 17° above absolute zero. Planck will tell us about the geometry and contents of the universe, how the universe grew after its birth, and how it evolved into structures we see today.





SOFIA


Stratospheric Observatory for Infrared Astronomy

First Science Flight: November 30, 2010

Partner: Germany

Web site: <http://www.sofia.usra.edu/index.html>

SOFIA is the largest airborne observatory in the world, and will make observations that are impossible for even the largest and highest of ground-based telescopes. SOFIA will be used to study many different kinds of astronomical objects and phenomena such as star birth and death. SOFIA is a modified 747-SP based at DFRC. SOFIA is still in development, with early science flights on-going and full capability to be achieved in 2014.



Spitzer Space Telescope


Launch Date: August 25, 2003

Phase: Extended

Orbit Type: Heliocentric Orbit

Web site: <http://science.nasa.gov/missions/spitzer>

During its cryogenic mission, Spitzer obtained images and spectra by objects in space between infrared wavelengths of 3 and 180 microns. Spitzer's highly sensitive instruments provide scientists a unique view of the Universe and to look into regions of space that are hidden from optical telescopes.



Swift

Launch Date: November 20, 2004

Phase: Extended

Orbit Type: Earth Orbit

Partners: Italy, Science and Technology Facilities Council (formerly the Particle Physics and Astronomy Research Council), United Kingdom

Web site: http://www.nasa.gov/mission_pages/swift/main/index.html

Swift is a multi-wavelength observatory dedicated to the study of gamma-ray burst (GRB) science. Swift's three instruments have worked together to observe GRBs and afterglows in the gamma ray, X-ray, ultraviolet, and optical wavebands.

Suzaku

Launch Date: July 10, 2005

Phase: Extended

Partner: Japan

Web site: http://www.nasa.gov/mission_pages/astro-e2/main/index.html

Japan's Suzaku satellite provides scientists with information to study these events in the X-ray energy range. Suzaku carries a new type of X-ray spectrometer, which will provide for the first time high resolution (allowing scientists to see much finer detail in the spectrum). NASA provided one of Suzaku's three instruments.



XMM-Newton

X-ray Multi-Mirror Mission

Launch Date: December 10, 1999

Phase: Extended

Orbit Type: Elliptical Orbit

Partner: European Space Agency

Web site: <http://science.nasa.gov/missions/xmm-newton>

ESA's XMM-Newton has helped scientists to solve a number of cosmic mysteries, ranging from the enigmatic black holes to the origins of the Universe itself. XMM-Newton is a telescope that can detect and study celestial X-ray sources. NASA provided elements of XMM-Newton's instrument package.



FUTURE MISSIONS

Astro-H

Launch Date: February 2014


Phase: Development

Orbit Type: Earth Circular Orbit

Partner: Japan

Web site: <http://heasarc.nasa.gov/docs/astroh>

Japan's Astro-H is a facility-class mission that aims to: (a) trace the growth history of the largest structures in the Universe, (b) provide insights into the behavior of material in extreme gravitational fields, (c) determine the spin of black holes, and (d) investigate the detailed physics of jets. NASA is collaborating with JAXA on the Soft X-ray Spectrometer (SXS) instrument.





GEMS

The Gravity and Extreme Magnetism SMEX


Launch Date: November 2014

Phase: Formulation

Orbit Type: Earth Circular Orbit

Web site: <http://heasarc.nasa.gov/docs/gems>

GEMS will use two grazing incidence X-ray optics to explore the shape of space that has been distorted by a spinning black hole's gravity, and probe the structure and effects of the magnetic field around neutron stars. GEMS will use a new technique to measure the polarization of X-rays. GEMS is a small Explorer mission.



JWST

James Webb Space Telescope

Launch Date: 2018

Orbit Type: Earth-Sun L2

Phase: Development

Partners: European Space Agency and Canada

Web site: <http://www.jwst.nasa.gov>

James Webb Space Telescope (JWST) is a large, infrared-optimized space telescope. JWST will find the first galaxies that formed in the early Universe. JWST will peer through dusty clouds to see stars forming planetary systems, connecting star formation in our own galaxy with the Solar System.



NuSTAR

Nuclear Spectroscopic Telescope Array

Launch Date: March 2012

Phase: Development

Orbit type: Earth Orbit

Partner: Denmark

Web site: <http://www.nustar.caltech.edu>

NuSTAR will allow astronomers to study the universe in high energy X-rays. NuSTAR will be the first focusing hard X-ray telescope to orbit Earth and is expected to greatly exceed the performance of the largest ground-based observatories that have observed the electromagnetic spectrum region. NuSTAR is a small Explorer mission.

ST-7

Space Technology 7

Launch Date: April 2014

Phase: Development

Partner: ESA

Web site: <http://nmp.jpl.nasa.gov/st7>

Space Technology 7's Disturbance Reduction System will fly onboard the European Space Agency's (ESA) LISA Pathfinder mission. Space Technology 7 will flight test the Disturbance Reduction System, demonstrating that a solid body can float freely in space completely undisturbed. ST-7 is an essential step in the process to determine whether NASA and ESA will proceed with the Large Interferometer Space Antenna (LISA).

